

# Conexiones para Agua



**112**

## CATALOGO 112

Te cobre a cobre a rosca interior NPT

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



**115**

## CATALOGO 115

Ye cobre a cobre a cobre

|       |       |
|-------|-------|
| 13 mm | 32 mm |
| 19 mm | 38 mm |
| 25 mm | 51 mm |



**113**

## CATALOGO 113

Te cobre a rosca interior NPT a cobre

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



**116**

## CATALOGO 116

Tapón macho para conexión

|       |
|-------|
| 10 mm |
| 13 mm |
| 19 mm |
| 25 mm |



**114**

## CATALOGO 114

Cruz cobre a cobre a cobre a cobre

|       |       |
|-------|-------|
| 13 mm | 32 mm |
| 19 mm | 38 mm |
| 25 mm | 51 mm |



| Conexiones      | Norma NMX | Norma ASME / ANSI |
|-----------------|-----------|-------------------|
| Cobre soldables | W-101/1   | B-16.22           |
| Latón soldables | W-101/2   | B-16.22           |
| Latón abocinado | W-002/1   | Z-21.18           |
| Pig - Tail      | NOM-018/3 |                   |

## Accesorios



**A-1474 50/50**

## CATALOGO

A-1474 50/50

Soldadura de estaño - plomo



**A-3384 95/5**

## CATALOGO

A-3384 95/5

Soldadura de estaño - antimonio

# Conexiones para Agua



100

## CATALOGO 100

Cople con ranura  
cobre a cobre

|       |        |
|-------|--------|
| 10 mm | 38 mm  |
| 13 mm | 51 mm  |
| 19 mm | 64 mm  |
| 25 mm | 75 mm  |
| 32 mm | 100 mm |



111

## CATALOGO 111

Te cobre a  
cobre a cobre

|       |        |
|-------|--------|
| 10 mm | 38 mm  |
| 13 mm | 51 mm  |
| 19 mm | 64 mm  |
| 25 mm | 75 mm  |
| 32 mm | 100 mm |



101

## CATALOGO 101

Cople sin ranura  
cobre a cobre

|       |        |
|-------|--------|
| 10 mm | 38 mm  |
| 13 mm | 51 mm  |
| 19 mm | 64 mm  |
| 25 mm | 75 mm  |
| 32 mm | 100 mm |



101-R

## CATALOGO 101-R

Cople reducción (campana)  
cobre a cobre

|                            |  |
|----------------------------|--|
| 13 x 10, 19 x 10, 19 x 13, |  |
| 25 x 13, 25 x 19, 32 x 13, |  |
| 32 x 19, 32 x 25, 38 x 13, |  |
| 38 x 19, 38 x 25, 38 x 32, |  |
| 51 x 19, 51 x 25, 51 x 32, |  |
| 51 x 38, 64 x 32, 64 x 38, |  |
| 64 x 51, 75 x 38, 75 x 51, |  |
| 75 x 64                    |  |



106

## CATALOGO 106

Codo 45°  
cobre a cobre

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



107

## CATALOGO 107

Codo 90°  
cobre a cobre

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



107-R

## CATALOGO 107-R

Codo 90°  
reducción cobre a cobre

|                   |  |
|-------------------|--|
| 13 x 10, 19 x 13, |  |
| 25 x 13, 25 x 19  |  |



117

## CATALOGO 117

Tapón hembra  
para tubo

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



118

## CATALOGO 118

Cople reducción  
bushing conexión a cobre

|                             |  |
|-----------------------------|--|
| 13 x 10, 19 x 10, 19 x 13,  |  |
| 25 x 13, 25 x 19, 32 x 13,  |  |
| 32 x 19, 32 x 25, 38 x 19,  |  |
| 38 x 25, 38 x 32, 51 x 25,  |  |
| 51 x 32, 51 x 38, 64 x 32,  |  |
| 64 x 38, 64 x 51, 75 x 38,  |  |
| 75 x 51, 75 x 64, 100 x 51, |  |
| 100 x 64, 100 x 75          |  |



# Conexiones para Agua



**102**

## CATALOGO 102

Tuerca unión  
cobre a cobre

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |




**106-F**

## CATALOGO 106-F

Codo 45°  
cobre a cobre

|        |
|--------|
| 64 mm  |
| 75 mm  |
| 100 mm |



**102-H**

## CATALOGO 102-H

Tuerca unión  
cobre a rosca interior NPT

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



**107-F**

## CATALOGO 107-F

Codo 90°  
cobre a cobre

|        |
|--------|
| 64 mm  |
| 75 mm  |
| 100 mm |



**103**

## CATALOGO 103

Conector cobre a  
rosca interior NPT

|       |        |
|-------|--------|
| 10 mm | 38 mm  |
| 13 mm | 51 mm  |
| 19 mm | 64 mm  |
| 25 mm | 75 mm  |
| 32 mm | 100 mm |



**108-M**

## CATALOGO 108-M

Codo 90° cobre a  
rosca exterior NPT

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



**103-R**

## CATALOGO 103-R

Conector reducción  
cobre a rosca interior NPT

|            |
|------------|
| 10 x 13 mm |
| 13 x 10 mm |
| 13 x 19 mm |
| 19 x 13 mm |
| 19 x 25 mm |
| 25 x 19 mm |



**108-H**

## CATALOGO 108-H

Codo 90° cobre a  
rosca interior NPT

|       |       |
|-------|-------|
| 10 mm | 32 mm |
| 13 mm | 38 mm |
| 19 mm | 51 mm |
| 25 mm |       |



**104**

## CATALOGO 104

Conector cobre a  
rosca exterior NPT

|       |        |
|-------|--------|
| 10 mm | 38 mm  |
| 13 mm | 51 mm  |
| 19 mm | 64 mm  |
| 25 mm | 75 mm  |
| 32 mm | 100 mm |



**108-R**

## CATALOGO 108-R

Codo 90° reducción  
cobre a rosca interior NPT

|            |
|------------|
| 10 x 13 mm |
| 13 x 10 mm |
| 13 x 19 mm |



**104-R**

## CATALOGO 104-R

Conector reducción  
cobre a rosca exterior NPT

|            |
|------------|
| 10 x 13 mm |
| 13 x 10 mm |
| 13 x 19 mm |
| 19 x 13 mm |
| 19 x 25 mm |
| 25 x 19 mm |



**111-F**

## CATALOGO 111-F

Te cobre a  
cobre a cobre

|        |
|--------|
| 64 mm  |
| 75 mm  |
| 100 mm |